

Client:  KOŽELJ d.o.o. Dob, 1233 Dob, Vegova ulica 12		Sample description (according to declaration of the Client)			
Sample received on:	11.09.2020	KREMCA razkužilo za roke, 500mL, 001/09.2023			
Report issued on:	25.09.2020				

# **Dermatological test OPEN TEST**

Prepared by: Paulina Maciszka, Technician
Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)
Marta Rosińska, Cosmetic Laboratory Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



## THE STUDY IS COMPLIANT WITH

Regulation of the European Parliament and of the Council (EC) No. 1223/2009 of 30 November 2009 on Cosmetic Products

Cosmetics Europe The Personal Care Association (previously COLIPA) Guidelines Product Test Guidelines for the Assessment of Human Skin Compatibility 1997

Cosmetics Europe The Personal Care Association (previously COLIPA) Guidelines for the Evaluation of the Efficacy of Cosmetic Products 2008

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)
Marta Rosińska, Cosmetic Laboratory Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



## **LIST OF CONTENTS**

- 1. Basis of the study
- 2. Object of the study
- 3. Qualitative composition of the product
- 4. Purpose of the study
- 5. Description of volunteers
- 6. Testing methodology
- 7. Date of the study
- 8. Evaluation parameters
- 9. Results
  - 9.1. Characteristics of volunteers
  - 9.2. Table of skin response
- 10. Calculated values
- 11. Interpretation
- 12. Conclusion
- 13. Signatures

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)
Marta Rosińska, Cosmetic Laboratory Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



## 1. BASIS OF THE STUDY

Test sample delivered by the Client.

The qualitative composition of the product delivered by the Client.

The results of microbiological purity of the product provided by the Client (or declaration from the Client about microbiological purity) does not apply to low microbiological risk products.

The Client is responsible for compliance with the declared qualitative composition and microbiological purity of the product sample sent for testing.

## 2. OBJECT OF THE STUDY

Parameter	Description
Appearance	Liquid
Color	Transparent
Fragrance	Characteristic for raw materials (or fragrance composition)
Packaging	Replacement packaging containing the name and sample number for testing

## 3. QUALITATIVE COMPOSITION OF THE PRODUCT

The qualitative composition was delivered to the Laboratory by the Client before the start of the study.

#### 4. PURPOSE OF THE STUDY

The purpose of the study was to assess irritating properties (skin tolerance) of the product on a healthy adult skin, with applied patch test.

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)

Marta Rosińska, Cosmetic Laboratory Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



## 5. DESCRIPTION OF VOLUNTEERS

The volunteers (25 people) were healthy, with negative allergy history. The selection of the group included the criteria of inclusion and exclusion. General inclusion criteria: healthy men and women over 18 years old, phototype: I-IV on Fitzpatrick scale, Caucasians, skin without irritations and changes requiring pharmacological treatment. General exclusion criteria: volunteers who use any treatment on the skin area subject to the study, volunteers exhibiting or having a known history of acute or chronic dermatological, medical and/or physical conditions that could influence the outcome of the study, pregnant or breastfeeding women or women planning a pregnancy during the study. None of the volunteers reported documented oversensitivity or history of adverse reactions to individual ingredients of the product tested. All the volunteers fulfilled the requirements of inclusion for tests and signed the Informed Consent Form (ICF). Additionally, they were informed on the purpose, methodology of the study and possible adverse effects. The skin at the application spot (arms or interscapular area) was healthy, without lesions. The volunteers were advised to exercise caution in handling the applied contact tests.

## 6. TESTING METHODOLOGY

The preparation in the appropriate concentration is applied onto to the skin on the forearm in the area of 3x3 cm. Reading the response of the skin was performed 15 minutes, 30 minutes, 1 hour, and 24 hours after the test application. Simultaneously, to objectify the results of the study and in order to exclude possible reading errors connected with dermal irritations one control samples (control sample with water) are carried out. The purpose of this study is to exclude possible reading errors connected with dermal irritations. The results of the study are presented in section 10 of this report. If irritations appear or persist 24h after the application, an additional examination takes place after 48 hours. Determining the response of the skin, the dermatologist assesses the irritating and sensitising effects of the tested product. The study results may be influenced by factors such as lifestyle, stress, diet and environmental conditions, etc.

## 7. DATE OF THE STUDY

22.09.2020 - 25.09.2020

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)

Marta Rosińska, Cosmetic Laboratory Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



## **8. EVALUATION PARAMETERS**

EVALUATION PARAMETERS OF SKIN REACTION						
Erythema	Classification point					
No erythema	0					
Light erythema	0.5					
Erythema and/or papules	1					
Erythema and/or papules and/or vesicles	2					
Erythema and/or papules and/or vesicles and/or blisters	3					
Erythema Bullous and/or ulcerative reaction and/or papules and/or vesicles and/or blisters	4					
Edema	Classification point					
No edema	0					
Very light edema (hardly visible)	1					
Light edema	2					
Moderate edema (about 1mm raised skin)	3					
Strong edema (extended swelling even beyond the application area)	4					

Prepared by: Paulina Maciszka, Technician
Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)
Marta Rosińska, Cosmetic Laboratory Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



## 9. RESULTS

#### 9.1. **CHARACTERISTICS OF VOLUNTEERS**

Table 1

Table 1					
No. of subject	Identification of subject	Begining of the study	Age	Sex	Phototype
1	NIE.AG	22.09.2020	41	F	II
2	DZW.AN	22.09.2020	48	F	II
3	STE.MA	22.09.2020	57	F	II
4	SUT.GR	22.09.2020	67	F	II
5	GRZ.KA	22.09.2020	49	F	II
6	JAS.KA	22.09.2020	48	F	II
7	TRO.BA	22.09.2020	66	F	II
8	GAL.LU	22.09.2020	67	М	II
9	ZOR.AL	22.09.2020	64	F	II
10	ZWO.JO	22.09.2020	64	F	II
11	KIS.KA	22.09.2020	46	F	II
12	KRZ.GR	22.09.2020	36	F	II
13	STE.JU	22.09.2020	39	F	II
14	BED.LA	22.09.2020	21	F	II
15	BAK.GR	22.09.2020	61	F	II
16	MIG.EM	22.09.2020	31	F	II
17	MAC.JO	22.09.2020	60	F	II
18	NAW.ZO	22.09.2020	45	F	II
19	WAN.MA	22.09.2020	61	F	II
20	PIE.EL	22.09.2020	56	F	II
21	POL.EL	22.09.2020	56	F	II
22	KAP.AL	22.09.2020	56	F	II
23	DUL.AN	22.09.2020	24	F	II
24	REI.MA	22.09.2020	34	F	II
25	LAD.KA	22.09.2020	48	F	II
		Min	21	No. F	phototype I
		Max	67	24	0
		Average	50	No. M	phototype II
				1	25
					phototype III
					0
					phototype IV
					0

Table 1. Characteristics of volunteers with a negative history of allergy

Prepared by: Paulina Maciszka, Technician

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)
Marta Rosińska, Cosmetic Laboratory Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



#### **TABLE OF SKIN RESPONSE** 9.2.

## Table 2

No.	Evaluatio 15 minu produ applica	tes of ict	Evaluatio 30 minu produ applica	tes of uct	Evaluation after 1 hour of product application		hour of product		our of product		uct hours of p	
	Erythema	Edema	Erythema	Edema	Erythema	Edema	Erythema	Edema	Erythema	Edema		
1	0	0	0	0	0	0	0	0	Examination	skipped		
2	0	0	0	0	0	0	0	0	Examination skippe			
3	0	0	0	0	0	0	0	0	Examination	skipped		
4	0	0	0	0	0	0	0	0	Examination	skipped		
5	0	0	0	0	0	0	0	0	Examination	skipped		
6	0	0	0	0	0	0	0	0	Examination skipped			
7	0	0	0	0	0	0	0	0	Examination	skipped		
8	0	0	0	0	0	0	0	0	Examination skipped			
9	0	0	0	0	0	0	0	0	Examination skipped			
10	0	0	0	0	0	0	0	0	Examination skipped			
11	0	0	0	0	0	0	0	0	Examination skipped			
12	0	0	0	0	0	0	0	0	Examination	skipped		
13	0	0	0	0	0	0	0	0	Examination	skipped		
14	0	0	0	0	0	0	0	0	Examination	skipped		
15	0	0	0	0	0	0	0	0	Examination	skipped		
16	0	0	0	0	0	0	0	0	Examination	skipped		
17	0	0	0	0	0	0	0	0	Examination	skipped		
18	0	0	0	0	0	0	0	0	Examination	skipped		
19	0	0	0	0	0	0	0	0	Examination skipped			
20	0	0	0	0	0	0	0	0	Examination skipped			
21	0	0	0	0	0	0	0	0	Examination skipped			
22	0	0	0	0	0	0	0	0	Examination	skipped		
23	0	0	0	0	0	0	0	0	Examination skipp			
24	0	0	0	0	0	0	0	0	Examination skippe			
25	0	0	0	0	0	0	0	0	Examination	skipped		

## Table 2. Results for volunteers with a negative history of allergy

Prepared by: Paulina Maciszka, Technician
Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)
Marta Rosińska, Cosmetic Laboratory Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



## **10. CALCULATED VALUES**

The following calculated values present the sum of negative reaction (erythema and edema) defined as Average Irritation Index (Xav).

	Evaluation after 15 minutes of product application		Evaluation after 30 minutes of product application		Evaluation after 1 hour of product application		Evaluation after 24 hours of product application		Evaluation after 48 hours of product application	
The sum of negative reaction (the	Erythema	Edema	Erythema	Edema	Erythema	Edema	Erythema	Edema	Erythema	Edema
sume of classification points)	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	Examination skipped	Examination skipped
X <sub>av</sub>	0,00									

## 11. INTERPRETATION

The average irritation index (Xav) was calculated. The product was then classified according to the following table:

Average irritation index (xav)	Class
<b>X</b> <sub>av</sub> < 0.50	Not irritating
$0.50 \le X_{av} < 2.00$	Slightly irritating
$2.00 \le X_{av} < 5.00$	Moderately irritating
5.00 ≤ <b>X</b> <sub>av</sub>	Highly irritating

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)
Marta Rosińska, Cosmetic Laboratory Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



#### 12. CONCLUSION

The patch test study was performed under dermatological control on a group of 25 volunteers. The study allows to conclude that product KREMCA razkužilo za roke, 500mL, 001/09.2023 used by volunteers, that didn't report documented oversensitivity or a history of adverse reactions to individual ingredients of the tested product, is well tolerated by the skin. In the tested group of volunteers there were no irritations or allergic reactions. The product meets the requirements of compatibility test with the skin (Skin Compatibility Test) and can be classified as NOT IRRITATING.

Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature) Marta Rosińska, Cosmetic Laboratory Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk



## 13. SIGNATURES

Technician	Paulina Maciszka	
Dermatologist - venereologist	Karolina Osiecka (2487308)	
Cosmetic Laboratory Manager	Marta Rosińska	

The Client is responsible for conformity with the declared quality composition as well as microbiological purity of the delivered

Attention: The released opinion of dermatological compatibility does not apply to people who are allergic to any ingredient of the tested product.

Prepared by: Paulina Maciszka, Technician
Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist (qualified electronic signature)
Marta Rosińska, Cosmetic Laboratory Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk